

SERIES AP 500 MINI REGULATOR

Ultra Compact / Ultra Clean

- Single stage
- Surface mount (IGS) 1-1/8 inch C and W seal
- Stainless steel 316L
 VAR secondary remelt construction
- Compact size with low internal volume
- High performance with low hysteresis
- Vacuum to 3,000 psig (207 bar) inlet
- 15 slpm flow capacity HF option to 30 slpm
- Sub-atmospheric to low positive pressure delivery[‡]
- Installation and operating instructions available at <u>www.aptech-online.com</u> in the Tech Briefs section

Materials

Operating Parameters

Source pressure	AP 500	vacuum to 150 psig (10 bar)	
	AP 500 HR	vacuum to 3,000 psig (207 bar)	
Delivery pressure	AP 501A	100 mm Hg absolute to 10 psig (0.7 bar)*	
	AP 502	0.5 to 30 psig (0.034 to 2 bar)	
	AP 506	1 to 60 psig (0.07 to 4 bar)	
	AP 510	1 to 100 psig (0.07 to 7 bar)	
	AP 515	2 to 150 psig (0.14 to 10 bar)*	
Proof pressure		150% of operating pressures	
Burst pressure		300% of operating pressures	

*501A not available with HR option, 515 only available with HR option.

Other Parameters

Inlet/outlet connectors	1/4 or 3/8 inch face seal or tube weld		
Flow coefficient (Cv)	0.06 (0.1 HE ention)		
Flow coefficient (CV)			
Internal volume	0.15 in ³ (2.4 cm ³)		
Operating temperature	-40° to +160°F (-40° to +71°C)**		
Surface finish	15 μin Ra max / 10 μin. Ra avg.		
	(0.4/0.25 μm) standard; 10 μin (0.25 μm);		
	7 μin (0.18 $\mu m);$ and 5 μin (0.13 $\mu m)$ Ra max optional		
Inboard leakage	2 x 10 ⁻¹⁰ sccs		
Outboard leakage	2 x 10-9 sccs He at 100 psig inlet pressure		
Leakage across seat	4 x 10-8 sccs He at 100 psig inlet pressure		
Supply pressure effect	0.20 psig per 20 psig source pressure change		
	(0.4 psig per 20 psig source pressure change HF option)		
Installation	Surface		

**HR option limited to -20° to 120°F (-28° to 48°C). VS option 14° to 194°F (-10° to + 90°C).

	Series AP 500 S	Series AP 500 SH
Type of Service	Noncorrosive	Corrosive
Wetted Parts		
Body	SS 316L secondary remelt	SS 316L secondary remelt
Poppet/diaphragm	SS 316L / Ni-Co alloy / UNS R30003	Ni-Cr-Mo alloy / UNS N06022 /
		Ni-Co alloy / UNS R30003
Finish	electropolished and passivated	electropolished and passivated
Seat	PCTFE (Polyimide*** and PTFE optional)	PCTFE (PTFE optional)

[‡]Absolute pressure not available with HF option.

***Polyimide not available with HF option.

All specifications subject to change without notice.



SERVICE AND SUPPORT BEYOND COMPARE



CAUTION: Product selection is the sole responsibility of the user, regardless of any recommendations or suggestions made by the factory. The user shall make selections based upon their own analysis and testing with regard to function, material compatibility and product ratings. Proper installation, operation and maintenance are also required to assure safe, trouble free performance.

Sample Order Number	AP 502SM 2PW FV4 FV4		
AP 502 Series	AP 501 = 0.5-10 psig (0.034 to 0.7 bar) AP 502 = 0.5-30 psig (0.034 to 2 bar) AP 506 = 1-60 psig (0.07 to 4 bar) AP 510 = 1-100 psig (0.07 to 7 bar) AP 515 = 2-150 psig (0.14 to 10 bar)***	FV4 FV4 Connections Inlet / Outlet	FV4 = 1/4 inch face seal female MV4 = 1/4 inch face seal male $FUJ/7^* = W$ seal 1-1/8 inch $FA^* = C$ seal 1-1/8 inch $3/8^{\circ}$ connections or tube weld available.
S Material	S = Stainless steel (SS) SH = SS / Ni-Cr-Mo alloy internals	Options	*FUJ and FA are only listed once in model number, not twice like a fitting. VS = Polyimide seat**
M Surface Finish Options Range Options	M = 10 μin. Ra max V = 7 μin. Ra max X = 5 μin. Ra max A = 100 mm Hg absolute to 10 psig (AP 501 only, not available HR)		HF = High flow** TF = PTFE seat FI = Friction dampener, non-wetted TK = Tall knob HR = High inlet pressure option*** **HF option not available with VS option or for absolute (A).
2PW Ports	2PW = 2 ports welded 2P = 2 ports IGS (W or C seal only) Consult factory for other porting options.		***HR not available with HF or TF options. 515 only available with HR option.

AP Tech has product options and variations which are not documented in data sheets. If you have a model number that is not defined by the ordering information, please consult the factory or your local representative.

Flow Rate (slpm Nitrogen)